

KENWORTH
VMXXR036-1
UNIT TYPE 1

CHASSIS FINAL BILL
FOR VIN 1XKWD49X5KR304188

PAGE 001
AS OF 11/14/18

DEALER CODE - T420
NAME AND ADDRESS
TRUCK ENTERPRISES, INC.

3440 SOUTH MAIN STREET

HARRISONBURG VA 22801

CUSTOMER NO - 8YTP
DANNY HUMPHREYS INC.

DATES
REQ DELV 11/01/18

DELIVERY 11/14/18
PRIC EFF 11/14/18

PREVIOUS CHASSIS NO.

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS
DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION
COMMODITY HAULED 0091123 LIQUIFIED GAS
INTENDED SERVICE 0093000 LINEHAUL
BODY LENGTH .00 IN BODY HEIGHT .00 IN
MAX LADEN WEIGHT .00 LBS

TRAILER
TRAILER TYPE 0096070 TANK
PREV;TNK OR VACUUM*USE 0095165 F/VACUUM
TRAILER LENGTH 53.00 FT TRAILER HEIGHT 13.00 FT
KINGPIN 36.00 IN CTR LINE AXLE GRP .00 IN
CORNER RADIUS .00 IN NO TRAILER AXLES 02

OPERATING AREA RESTRICTIONS
LENGTH 75.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT
**** DEALER ASSIGNED:

CHASSIS
FRONT AXLE LOAD 13200.00 LBS REAR AXLE LOAD 40000.00 LBS GCW 80000.00 LBS
WHEELBASE 275.00 IN FAX/BOC 100.00 IN CAB/AXLE 175.00 IN
CAB/EOF 236.00 IN MAXIMUM GRADE 06 PERCENT HIGHWAY 090 % CLASS B 010
% CLASS C 000
% CLASS D 000

UNIT TYPE 1

SPECIAL REQUIREMENTS
SPECIAL RESTRICTIONS 0098025 U.S. DOMESTIC REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 13,200.00 LBS
GAWR FIRST INTER 20,000.00 LBS SECOND INTER 0.00 LBS
GAWR REAR: 20,000.00 LBS
GVWR: 53,200.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
	BASE MODEL			
0000900	W900 CONVENTIONAL	P	197,524	15,873
0070077	W900	P	0	0
0080055	CARB IDLE EMISSIONS REDUCTION FEATURE CUMMINS ENGINES	P	100	0
0090008	86 INCH AEROCAB SLEEPER With rear axle capacity less than 59K	P	0	0
	ENGINE AND ENGINE EQUIPMENT			
0123755	X15 565 565@2000 1850@1150	P	8,881	300
	2017 W/INTEBRAKE, PERFORMANCE SERIES			
N0920	N205 120...STANDARD MAXIMUM SPEED LIMIT			
N0922	N207 0....EXPIRATION DISTANCE (N207)			
N0924	P13 120...HARD MAXIMUM SPEED LIMIT (P1			
N0926	P14 64...MAXIMUM ACCELERATOR PEDAL VE			
N0930	P19 64...MAXIMUM CRUISE SPEED (P19)			
N0936	N203 474...RESERVE SPEED FUNCTION RESET			
N0938	N202 0....MAXIMUM CYCLE DISTANCE (N202			
N0940	N206 10...MAXIMUM ACTIVE DISTANCE (N20			
N0942	N201 0....RESERVE SPEED LIMIT OFFSET (
N0944	P11 NO...ENGINE PROTECTION SHUTDOWN (
N0946	P06 NO...GEAR DOWN PROTECTION (P06)			
N0948	P26 1400...MAX PTO SPEED (P26)			
N0950	P02 NO...CRUISE CONTROL AUTO RESUME (
N0952	P04 NO...AUTO ENGINE BRAKE IN CRUISE			
N0954	N209 0....EXPIRATION DISTANCE (N209)			
N0956	P520 YES...ENABLE IDLE SHUTDOWN PARK BR			
N0958	P32 5....TIMER SETTING (P32)			
N0960	P233 YES...ENABLE IMPENDING SHUTDOWN WA			
N0962	P234 30...TIMER FOR IMPENDING SHUTDOWN			
N0964	P516 0....ENGINE LOAD THRESHOLD (P516)			
N0968	P33 NO...IDLE SHUTDOWN MANUAL OVERRUL			
N0972	P230 YES...ENABLE HOT AMBIENT AUTOMATIC			
N0974	P46 0....LOW AMBIENT TEMPERATURE THRE			
N0976	P56 60...INTERMEDIATE AMBIENT TEMPERA			
N0978	P47 80...HIGH AMBIENT TEMPERATURE THR			
1000151	PREMIERSPEC	U	0	0
1000155	PROSPECTOR VERSION 41.2	P	0	0
	RPI, VERSION 41.1			
1000180	KW SPLIT AXLE PROGRAM R-J	U	0	0
1000683	Effective VSL Setting 65.0 MPH (USA)	P	0	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1000857	Engine Idle Shutdown Timer Enabled	P	0	0
1000859	Enable EIST Ambient Temp Overrule	P	0	0
1000870	Eff EIST 0 Expiration Miles (USA)	P	0	0
	Use only with MX and Cummins engines			
1002080	Air comp; Cummins 18,7 CFM, Naturally Aspirated for X15 engines	P	0	0
1042230	Air Cleaner: Dual 15" ERA SS Cowl MTD W/KW BUG W/Preferred Fit Element	P	230	44
1099091	AIR CLEANER FAIRINGS: DUAL SS	P	206	2
1105220	Fan Hub: Horton 2-Speed for X15	P	424	0
1121245	COOLING MODULE: 1240 SQIN	P	80	161-
1160208	BUGSCREEN MTD BETWEEN HOOD AND GRILL SEMI RIGID, NON-REM	P	120	2
1160728	LOWER RADIATOR DRAIN VALVE FOR EXPORT USE 1160741	P	18	0
1247182	EXH:2017 EPA RH UNDER CAB DPF/SCR W/ DUAL SIDE OF AEROCAB MTD TAILPIPES	P	4,331	132
1290448	Tailpipe: 7" Dual 48" 45 Deg Curved	P	505	18
1292329	EXHAUST SHIELD: FULL PERF DUAL SS W/KW NAME F/SIDE MOUNTED EXH, AEROCAB ONLY	P	354	0
1321109	Fuel Filter: PACCAR Std. Serv. Interval Fuel/Water Separator, 2017 Emissions	P	0	0
1321200	Run Aid: None	P	0	0
	*For Fuel Filter			
1321305	Start Aid: 12V Heat	P	77	0
	*For Fuel Filter			
1504005	IMMERSION ENG BLOCK HTR: 110-120V/1500W PLUG LOC UNDER DOOR C5, T6, T8 & W9	P	116	2
1816260	Alternator: PACCAR 160 amp, brush type	P	0	0
1821215	BATT: 4 PACCAR GP31 THR (700-730) 2800-2920 CCA DUAL PURPOSE BATTERIES	P	247	57
1836100	PACCAR 12V STARTER	P	0	0
1840069	DELETE LOW VOLTAGE DISC 86" SLPR ONLY	P	0	2-
1900082	MULTI FUNCTION ENG CONN FOR BODY BLDR for Cummins	P	65	0
1900996	JUMP START TERMINALS MTD UNDER HOOD	P	245	11
	MAIN TRANSMISSION AND CLUTCH			
2058744	FULLER RFLQ18918B 18-SPEED SUPER 18 W/PUMP & 14" OIL TO WTR EATON SUPL COOLER	P	2,385-	15
2250497	CLUTCH: EATON 15-1/2 in. ADV Self-Adj. to 1850 ft-lb, Ceramic, 6-Paddle, Predamper	P	812	7
2294035	GREASE BANK F/CLUTCH & CROSS SHAFT FRAME MOUNTED	P	411	11
2408502	DRIVELINE: 2 MERITOR RPL25 SD; 1 CTRBRG REQ 3500064 *Replaces 2408501	P	915	77
2429100	Chassis will be fitted w/ LH trans PTO (PREVENTS ECU F/INTERFERING W/PTO ONLY)	P	0	0
2460042	14" EATON/FULLER HI CAP OIL TO WTR CLR STD F/TRAN 1550-2250LBFT.	P	0	0
2493004	AL CLUTCH HSG REPL CAST IRON F/ FULLER TRANS RATED 1450 THRU 2050 LBFT	P	80	53-

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
FRONT AXLE AND EQUIPMENT				
2502324	DANA E-1322W 13.2K 5" DROP WIDE TRACK	P	518	35
2607011	FR ADB: BENDIX RSD to 14.6K ADB22X RSD TRACTOR ONLY	P	0	0
2690024	SPLINED ROTOR F/FR ADB F/USE W/AL hub	P	0	0
2701300	HUB: AL HUB P/L MNT MAX CAP 13.2K 11.25" BC "TURBO" 10BLT	P	0	0
2741970	CONMET PRESET PLUS HUB PKG FR AXLE	P	0	0
2750001	FR HUBCAP: VENTED	P	0	0
2769000	INCLUDED W/FR AXLE OR BRK: SLACK ADJUSTER ALSO USE W/DISC BRK	P	0	0
2864013	FR SPRG TAPERLEAF 13.2K W/SHOCKS W9 54", T3 64" (NOT COMMON CH)	P	0	42
2893651	PWR STRG SING GEAR, TRW TAS65 13.2K 2010: NOT F/USE ON T4	P	84	0
REAR AXLE AND EQUIPMENT				
3122247	MERITOR MT40-14X4 40K Hypoid DUAL 11 MM HSG	P	230	123
3200355	REAR AXLE RATIO-3.55	P	0	0
3306014	RR AIR DISC BRAKE: BENDIX RSD DUAL 46K REDUCED STOPPING DISTANCE TRACTOR ONLY	P	0	40
3392604	SPLINED ROTOR FOR DUAL RR AIR DISC BRKS FOR USE WITH ALUMINUM HUBS	P	3,903	207-
3407050	RR HUB:AL HUB-PILOT DUAL 11-1/4"BC REQUIRES "R" SERIES OUTER ENDS	P	0	0
3441972	CONMET PRESET PLUS HUB PKG DUAL RR AXLE	P	0	0
3465900	SLACK ADJUST: INCL W/AXLE OR BRAKES ALSO USE W/ DISC BRAKES	P	0	0
3485002	SPRING BRAKE INCLUDED W/DUAL AIR DISC BRAKES	P	0	0
3495225	EMVSS-136 Stability Cntrl Schdl Review	P	0	0
3495229	ABS: BENDIX 4S/4M W/ATC & ELECTRONIC STABILITY PROGRAM (ESP) for Tractors	P	2,334	11
3500050	DRIVELINE:1 MERITOR RPL20 INTERAXLE; REPLCMG I/A *USE W/ RPL 25 MAIN D/L	P	0	0
3730020	KW AG400L 40K DUAL 52" AS 8.5" RIDE HT*W/SINGLE LEVEL VALVE	P	2,082-	29
TIRES, WHEELS & RIMS				
4010137	FR MN X LINE ENERGY Z 11R22.5 16PR PART: MN06697 FET: 58	P	254	7
4217228	RR MN X LINE ENERGY D 11R22.5 14PR PART: MN35087 FET: 200	P	892	132
4900008	CODE-REAR TIRE QTY 08.			
5045162	FR wheel:Alcoa 80367 22.5x8.25 AL hub pil new gen disc brk comp LVL1	P	444	44-
5059010	SING FR AXLE:DURA-BRIGHT BUFFED OUTBOARD SURFACE OF WHEELS (QTY2) -1DB	P	298	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
5859012	DUAL RR AXLE:DURA-BRIGHT BUFFED	P	794	0
5245162	OUTBD SURFACE OF OUTER WHLS(QTY 4) -2DB RR wheel:Alcoa 88367 22.5x8.25 AL	P	1,776	176-
5900008	HUB FIL MNT LVL1 CODE--REAR RIM QTY 08.			
FRAME AND EQUIPMENT				
6056600	FRAME RAILS:10-3/4 X 3/8" STL 337-416"	P	711	0
6309720	SECTION MOD:17.80, RBM:2,132,000 LBS, BUMPER: TEXAS SQUARE, CHROME	P	456	66
6319030	REQS BUMPER SETTING CODE			
6321005	30 INCH BUMPER SETTING*REQS BUMPER CODE	P	0	0
6390001	REMOVABLE FRONT TOW HOOKS: 2	P	283	15
6390103	STEEL SHACKLE LINKS	P	0	0
6405086	FR MDPLS	P	0	0
6409901	W9 BATT BOX MODULE: PAR POLISH ALUM UND EXTEND LENGTH, POLISH ALUM INTEGRAL	P	1,330	9
6410010	BATTERY BOX LOCATION: LEFT HAND SIDE	P	0	0
6410011	FRAME AC EQUIP:GRABHANDLE(S) LH MOUNTED	P	59	0
6414003	FRAME AC EQUIP:GRABHANDLE(S) RH MOUNTED	P	59	0
64117007	MEDIUM AL FRAME ACCESS DECK PLATE: 36"	P	225	15
6418006	FRAME ACCESS STEPS:2 LADDER-TYPE RH-MTD	P	165	15
6451096	FRAME ACCESS STEPS:2 LADDER-TYPE LH-MTD	P	165	15
6543427	W9: POLISHED DPF/SCR OR CNG COVER W/STEP, CAB ACCESS RH UNDER	P	596	0
6600033	FW:ILS air HL FW17J924XL00 24.0" 8.8"	P	86-	22--
6679817	40K OR LESS SUSP, OUTBOARD, 50K			
6680000	FIFTH WHEEL ANGLES:ALUMINUM REPLC STEEL	P	204	31-
6721144	2017 EPA Emissions Engine	U	0	0
6722000	REAR OR FTXD SETTING AHD C/L BOGYE 000. RR MDPLP ARMS:FLEETLINE FF30SS STAINLES STEEL TAPERED SPRING LOADED	P	252	13
6744123	RR MDPLP SHIELDS:WHITE PLASTIC KW LOGO ANTISAIL	P	0	0
6747000	SHORT TRACT TAPER BENT/WELD W/O CM SHORTEST END-OF-FRAME CUTOFF W/SPECIFIED EOF CONFIGURATION Selecting code will override the "overhang" dimension found in Voca Analysis of Prospector.	P	0	0
FUEL TANKS AND EQUIPMENT				
7214150	FUEL TANK: 150 US GAL 24.5" AL BOC RPL	P	319	55
7216120	FUEL TANK: 120 US GAL 24.5" AL BOC ADD	P	2,314	119
7722019	DEF TANK: MEDIUM ROUND 20.7 GAL USABLE *2013 OR LATER	P	196	33
7821300	HVY DUTY 7" STL SUPTS/STRAPS E/(2) 24.5" TANKS - 2 SUPTS PER TANK	P	724	35
7840038	POLISHED COVER: 1 DEF TANK ANY SIZE	P	326	2
7850051	#10(5/8") FUEL CROSSOVER/EQUALIZER LINE W/2 BREAKAWAY VALVES W/O SHUTOFF VLV	P	224	7

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
7889004	FUEL FILL: BEYOND RR OF SLEEPER	P	0	0
7889082	POL ONLY: HD 7" F/T STRAPS F/2 24.5" TANK 2 STRAPS/TANK*MUST CODE HVY DUTY SUPTS	P	308	0
7889203	STD DEF TO FUEL RATIO, 2:1 OR GREATER	P	0	0
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK ANY NUMBER OF TANKS	P	0	0
7889604	DEF TANK LOC: LH	P	0	0
7930150	LOCATION RH BEHIND CAB 150 GAL.			
7940120	LOCATION LH BEHIND CAB 120 GAL.			
CAB AND EQUIPMENT				
8025300	CAB: CONVENTIONAL*AEROCAB*CURVED GLASS B3*AVAILABLE ONLY W/AEROCAB SLEEPER*	P	0	0
8077586	SLEEPER: 86" AEROCAB	P	26,053	1,667
8080945	SLPR DOORS W/SLIDING WINDOW LH/RH 86" STUDIO VIT INTERIOR ONLY	P	0	0
8090606	HOOD:METTON EXTENDED 1-PIECE W/GRILLE & SHELL *W9L Reqs, 1240 Rad & 2007+ Eng	P	2,018	57-
8098404	ADD 4 RIBS ON RADIATOR GRILLE	P	123	2
8178210	HEATER/AIR COND:SEP UNITS CAB & SLPR INCL 5 MODE ROTARY CTRL*N/A W/ 38" SLPR	P	0	0
8190146	2 BALL VLVS F/USE W/PARALLEL PLUMBING* AVAIL AEROCABS EXCEPT 38"	P	73	4
8201014	STRG WHL: 18" 4-SPK LEATHER	P	123	0
8201200	STRG COLUMN:ADJ TELESCOPNG TILT*CODE F/18" STRG WHEEL*	P	454	11
8203060	5 SETS OF KEYS, REPLACES STANDARD (2 SETS OF KEYS).	P	30	0
8203184	SW/WRG: C/I CAB PANEL LITS	P	91	0
8203189	SW/WIRING FOR C/I AIR CLEANER LIGHTS	P	137	0
8200583	ISO 3731 SPARE CKT SW #1 ID; DUMPGATE *REQ 9140341 OR 9140342*INCL LT/GUARD	P	59	0
8200592	ISO 3731 SPARE CKT SW #2 ID; TRLR AIR SUSP*INCL LITS/GUARDS*REQ 9140342	P	45	0
8221144	GAU: AIR SUSP PRESSURE	P	103	0
8222712	GAU: FUEL FILTER RESTRICTION	P	147	0
8222722	GAU: MANIFOLD PRESS	P	31	0
8227704	GAU: 1 ADD FUEL F/2ND F/T W/INTEGRAL WARN LT	P	98	0
8282004	Kenworth Driver Information Center (Highline display)	P	0	0
8282009	INSTRUMENT PACKAGE	P	0	0
8330586	INTERIOR:CAB/86" SLEEPER DIAMOND STUDIO VIT. W/ KW NAVPLUS HD w/2010+ engines	P	9,143	154
8343305	INTERIOR COLOR: JET BLACK W/TRIM COLOR DARK SLATE GRAY	P	0	0
8390648	BLACK CARPET REPL FLOORMAT; CAB	P	148	0
8390748	BLACK CARPET REPL FLOORMAT; SLEEPER	P	85	0
8410893	DR: KW AIR-CUSHION PREMIUM PLUS HB HTD LEATHER*INCL DUAL ARMRESTS & SUSP COVER	P	972	0
8480893	RD: KW AIR-CUSHION PREMIUM PLUS HB HTD LEATHER*INCL DUAL ARMRESTS & SUSP COVER	P	1,428	20

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8490170	SEAT COLOR:ALL JET BLACK*NOT 2-TONE*	P	0	0
	USE ONLY W/KENWORTH SEATS*OTHER SEATS			
8498453	ARMREST: DUAL DR KW STOWABLE INBOARD & FOLDING OUTBOARD	P	138	2
8498553	ARMREST: DUAL RD KW STOWABLE INBOARD & FOLDING OUTBOARD	P	153	2
8520086	FIXED LOWER BUNK/MATTRESS REPL SOFABED *86" VIT SLPR ONLY*42"X80" MATTRESS	P	44-	37-
8520141	MATTRESS:PREMIUM POCKET INNERSPRING ON LOWER BUNK ONLY	P	0	0
8570018	BACKWALL STORAGE SHELF*86" VIT ONLY	U	79	0
8698998	DEL STD UPPER BUNK*N/A W/SOFABED 2-WAY COAX SPKRS: 2 SLEEPER*WITH OR W/O RADIO*	P	55	2
8699514	SPKRS: 4 4"X6" HIGH PERFORMANCE*W/KENWORTH*2 IN CAB HEADER/2 RR CAB CRNR	P	115	0
8699926	CB installation kit center mounted of header w/quick mt release dual antenna	P	287	0
8700049	LOGBOOK HOLDER UNDER DASH	P	44	0
8700101	BLACK DASH REPLACING TRIM COLOR DASH	P	41	0
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0	0
8700186	ELECTRIC DOOR LOCKS*LH/RH*	P	0	0
8700188	REMOTE KEYLESS ENTRY*REQ ELEC DOOR LOCK*REQ DAYLITE DOOR	P	410	0
8700405	STAINLESS STEEL PERMIT PANELS ON CAB *N/A W/LIFT CTRLS OR GAUGES MTD UNDER Kenworth TruckTech+	P	118	13
8700663	Formerly Remote Diagnostics	P	0	0
8720100	DELETE KW NAMEPLATES FROM HOOD*DO NOT DRILL HOOD*	P	0	0
8800400	GRABHANDLE:1 LH INSD DOOR FRAME ABOVE DASH	P	0	0
8800401	GRABHANDLE:1 RH INSD DOOR FRAME ABOVE DASH	P	0	0
8800439	GRABHANDLE:1 RH BOC(S) 36" TUBULAR N/A: IND EXH/EXH UP BOC/EXT MTD EXH ON	P	85	2
8800440	GRABHANDLE:1 LH BOC(S) 36" TUBULAR N/A: IND EXH/EXH UP BOC/EXT MTD EXH ON	P	85	2
8800733	GRABHANDLE:1 LH W/SHORT EXT OVER DOOR RPL STD (OPTION 21)	P	56	4
8800734	GRABHANDLE:1 RH W/SHORT EXT OVER DOOR RPL STD	P	56	2
8832115	DAYLITE DOOR: LH/RH INCLDS RH PEEPER WINDOW	P	0	0
8841623	AIR HORN: DUAL RECT 26" LH/RH ROOF INCL AIR HORN COVERS	P	257	4
8850300	Look-down, pass. Door,Stainless 8.5x4.4	P	0	0
8863570	CX MIRR: DUAL SS HTD 8.5" OFFSET STUD MOUNTING*	P	90	11
8867202	MIRROR: DUAL MOTO HTD*SW ON DOOR PAD* *LH/RH MOTORIZED*AERODYNAMIC	P	635	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8869005	MIRROR BRKT: DUAL 8-1/2'	P	0	0
8879213	WINDOW LIFT: ELEC POWERED LH/RH SIDE SW LOCATED ON DOOR PAD	P	289	0
8879440	CAB DOOR/WINDSHIELD COVER IN ADDITION CAB/SLPR CURTAIN*AVAIL F/ T6/T8/W9 ONLY	P	343	4
8890100	WINDSHIELD: 1-PC W/CURVED GLASS	P	0	0
8890135	SUNVISOR: EXTERIOR STAINLESS STEEL	P	384	11
8890290	CHROME BEADING AROUND WINDOWS*INCL PEEPER WINDOW, IF CODED*	P	81	0
8890872	CAB/SLPR AIR SUSP: 38"/62"/72"/86" AEROCAB ONLY*	P	0	0
LIGHTS AND SIGNALS				
9010802	HEADLAMPS: DUAL REC HAL EXT LIFE DUAL BEAM *N/A T800/C500 WIDE HOOD*	P	0	0
9022137	MARKER: 5 RECTANGULAR LED	P	197	0
9024102	MARKER: 5 ADD RECT LED TOP OF SLPR 38" AEROCAB NA W/ 9089013 OR 9089014*	P	459	2
9030014	LED TURN SIGNAL: CONV FENDER-MTD	P	106	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0	0
9052011	FLOODLIGHTS: DUAL FLUSH 1ST SET	P	141	2
9052012	FLOODLIGHTS: DUAL FLUSH 2ND SET	P	164	2
9052013	FLOODLIGHTS: DUAL FLUSH 3RD SET	P	184	2
9059901	1ST SET LOC: HIGH F/DUAL (LH IF SINGLE)	P	0	0
9059913	2ND SET LOC: MID F/DUAL (LH IF SINGLE)	P	0	0
9059924	3RD SET LOC: LOW	P	0	0
9090039	INTERRUPTER SWITCH FOR MARKER LTS B-CAB: INCL IN TURN SIGNAL; T3 IN DASH	P	0	0
9090065	COURTESY LAMPS: UPPER SKIRT LH & RH TO ILLUMINATE STEPS	P	146	0
9090117	MARKER REFLECTOR LTS: MIDRME-MTD N/A WITH FULL LENGTH CHASSIS FAIRINGS	P	185	22
9090126	BACKUP ALARM: ELECTRIC	P	151	4
9090845	CIRCUIT BREAKERS: TO REPLACE FUSES *DOES NOT APPLY TO ANY 5-AMP FUSE*	P	43	0
AIR EQUIPMENT				
9101215	Air Dryer Bendix AD-IS Puraguard heated	P	0	0
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9110068	TRAC KIT: LH FRAME-MTD W/HOSETENNA -INCL COMPOSITE GLDHD/LT PLG HLDR	P	0	0
9121115	AIR/LIGHT LINES: 15 FT COILED	P	87	2
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140201	CHROME HOSETENNA: REQS CODE F/TRCTR KIT W/HOSETENNA	P	14	0
9140322	ADDL 7-WAY ISO#3731 CONN F/TRLR ABS PWR W/15' LT coiled LINE F/PULL TRK OR TRAC	P	358	9
9140342	2-SP CKT THRU ABS ISO 3731 CONN, SP CKTS TO 2 DSH SWS; REQS 9140321 OR 322	P	57	0
9140701	HOSETENNA BRACKET 1' BOC/S Plus or minus 6"	P	15	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
9290207	ORDER REVIEWED BY APPLICATIONS TECH: Nancy Hill 425-227-5879	U	0	0
9400072	GLIDER KITS AND ASSEMBLIES SHIP TO DEALER	P	0	0
9409852	SPECIAL EQUIPMENT GHG Secondary Manufacturer: Does Not Apply	P	0	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	48	4
9490404	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD OUTBOARD OF DR. SEAT. CLASS ABC.	P	138	11
9490645	ZINC PHOSPHATE FRAME RAIL PAINT PROCESS REQS RAIL CODE, CODE IS F/1 PR OF RAILS	P	382	0
9700000	PAINT COLOR NUMBER PAINT COLOR NUMBER(S)	P	0	0
N9702	A - L0001EY BLACK			
N9720	FRAME N0001EA BLACK			
9943004	PAINT BUMPER UNPAINTED	P	0	0
9943053	Sleeper Standard Paint	P	0	0
9944021	1 Color Paint Sleeper White If No Color Specified	P	0	0
9960007	***PAINT REVISION/SKETCH PENDING***	U	0	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT EXTERIOR & PAINT COLOR L SERIES CODES*	P	0	0
N9994	EMAIL: AGOOD@TRUCKENTERPRISES.COM			
N9995	CELL PHONE;			
N9996	SALESPERSON ID: ALAN GOOD			
N9997	DEALER CONTACT			
N9998	NAME: ALAN GOOD PH:540-564-6900			
N9999	RNH 09/06/18 OC012			

** TOTAL ESTIMATED WEIGHT

10,556